MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515
Website: http://mpcb.gov.in
E-mail: mpcb@vsnl.net



Kalpataru Point, 2nd - 4th Floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai - 400 022

Red/LSI

Date: 19/11/2015.

Consent No: Format 1.0/BO/CAC-CELL/EIC No.KP-17548-15/R/CAC-14588

70,

M/s. Sonhira SSK Ltd., (Sugar & Co-gen),

A/p- Wangi, Mohanrao Kadam Nagar,

Tal - Kadegaon, Dist - Sangli.

Subject: Renewal of Consent to Operate of 2500 TCD Sugar & 22 MW Co-generation

unit under RED category.

·Ref

1. Consent to operate for sugar & Co-Gen unit granted by the Board vide No. BO/CAC-CELL/EIC-KP-15831-14/R/CAC-9881 dtd. 27.10.2014.

2. Minutes of CAC meeting held on 03.11.2015.

Your application: CR1508000195.

Dated: 01.07.2015.

For: Renewal of Consent of Sugar & Co-generation unit.

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from **01.08.2015** to **31.07.2016**.

2. The actual total investment of the industry is Rs. 212.63 Cr. (As per C. A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of –

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/M	
1 1	Sugar	8250	
2	Molasses	3000	
3	Pressmud	3000	
4	Bagasse	33700	
5	Electric Power (Cogeneration)	22 MW .	

(The cane crushing Capacity of Sugar Industry shall not exceed 2500 TCD)

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Conditions under water (1 &C1), 1971 ret for discharge of circulation.					
Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal	
1.	Trade effluent	610 (Sugar 250 + Co-gen 360)	As per Schedule -I	360 CMD 100% recycle & 250 CMD on land for irrigation	
2.	Domestic effluent	60	As per Schedule -I	On land for irrigation	

M/s. Sonhira SSK Ltd., SRO Sangli /I/R/L/41139000

Inward V2 3132

Page 1 of 9

Page 1 of 9

Page 1 of 9

AMHERASHTPA

D

MAHERASHTPA

D

D